



Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <http://about.jstor.org/participate-jstor/individuals/early-journal-content>.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

a salt-water spore. It must fall in a spot where it can grow, where its family, as it comes to have one, may live and multiply and grow into a kingdom, for if it fails in this last, the kingdom will not be won.

The stunt may be perilous; but it is easy to see how easy it is to do if done just right. Light is the great foster-farmer of the earth, the truly great farmer; and we now see how clearly and truly "light pressure" is the long-distance seed-planter of the worlds.

T. C. C.

ARTESIAN WATERS OF ARGENTINA

The climate of a part of Argentina is semi-arid, and the geological formations which are regarded as Quaternary and Later Tertiary are, in the western and central districts of the country, saline to a degree which indicates prolonged duration of aridity. The region of the Pampas which covers the province of Buenos Aires and stretches northward west of the Parana does not exhibit this characteristic, having apparently long enjoyed a more humid climate, as it does now. The foothills of the Andes are also well watered. But with the exception of these last-named regions, a great part of the country suffers from lack of good water. This condition may, however, be in some measure relieved by proper development of artesian supplies. Many wells have been sunk already, but without adequate geological investigation. In the Pampas, water is found at a general depth of 20 meters more or less, and is pumped to the surface by windmills. It may be said that the development of the livestock industry of Argentina would be impossible were it not for this supply which comes from eolian, alluvial deposits of Quaternary and Tertiary age. A different geological condition exists from the Rio Colorado southward in what may be best described as northern Patagonia. In that region there are local elevations occupying a middle position between the Atlantic and Pacific, composed of granites and older rocks possibly of Paleozoic age, and rising to altitudes of 300 to 1,000 meters. These mountains are not represented upon any map and their distribution is not known, but they have been described by Moreno and other explorers. Upon their flanks there

is an extensive formation of gray sandstone which attains a thickness of several hundred feet and is very porous. It slopes gently toward the Atlantic and pure water flows from it in outcrops near the coast. The head of water in these strata is unknown. Farther south in Patagonia the central sierra is replaced by plateau country and in Comodoro Rivadavia, in latitude 46 near the coast, wells which were sunk by the government in search of water developed petroleum. There is a large area in this region in which the geologic structure and the possibilities of artesian water need to be developed. In the great plains east of the Andes there are glacial deposits which may furnish superficial supplies like those of the Dakotas, and the marine Tertiary and Mesozoic strata afford conditions not unlike those of southern California. Here as well as in the valleys among the spurs of the Andes from Patagonia to Bolivia the geological structure is complicated and the problem of artesian water is one of peculiar difficulty as well as of great interest.

Our present knowledge of these conditions rests upon reconnaissance work and the stratigraphic and paleontologic observations of the Geological Survey of Argentina. No work based upon topographic maps and systematic structure has as yet been undertaken. The problem is therefore one whose elements are as yet to be developed. The Argentine government is using every means to encourage settlement and development of the rich agricultural regions which lie in the zone of sufficient rainfall east of the Andes, and also the vast grazing district of Patagonia. In order to afford ready communication it is building railroads at great national expense and operating them. The need of pure water for locomotive use as well as for other purposes has thus been made critically evident, and the minister of public works, Señor Ramos Mexia, has adopted a plan for making surveys for the determination of artesian water conditions along the lines of national railways. He contemplates topographical and geological surveys of a character similar to those executed by the United States Geological Survey, from which he derived the initial suggestion. He last summer applied to the United States government for the services of a geologist and such assistants as he might need, and our govern-

ment has responded cordially to that request. Mr. Bailey Willis has accordingly entered into a contract for the term of two years, to execute topographical and geological surveys for the specific purpose of ascertaining artesian water possibilities in those districts which the minister may designate. With him are associated Mr. Chester W. Washburne of the United States Survey, Mr. J. R. Pemberton of Stanford University, and Mr. Wellington D. Jones of the University of Chicago, as geologists, and Mr. C. L. Nelson and Mr. W. B. Lewis as topographers, and the party has recently sailed for Argentina to enter upon the work. While these surveys have a specific purpose, their possibilities of usefulness in developing the natural resources and encouraging settlement in the regions surveyed will not be overlooked, and the work will be founded on those scientific studies upon which alone practical conclusions can safely rest. Thus it is hoped that a definite contribution to knowledge in geography and geology may be made.

It is desirable to point out that the Argentine government has a geological survey which has been in existence since 1903 in its present organization and which dates back half a century as a bureau of mines. It is under the direction of Señor E. M. Hermitte, who is assisted by Messrs. Bodenbender, Keidel, and Schiller, three German geologists who have done excellent stratigraphic and paleontologic work, particularly in districts of the central Argentine Andes. They have unfortunately not been supplied with maps. The established Bureau of Mines, Geology, and Hydrology is under the Minister of Agriculture. The surveys which are about to be made are undertaken by the Minister of Public Works. The two operations are thus officially distinct, but it is hoped and anticipated that they may be mutually helpful.

B. W.